Multiplication and division vocabulary

Term	Definition	Example	
factor	a number that divides exactly	factors of 12 =	
Tactor	into another number	1, 2, 3, 4, 6, 12	
common	factors of two numbers that	common factors of 8 and	
factor	are the same	12 = 1, 2, 4	
prime	a number with only 2 factors:	2, 3, 5, 7, 11, 13, 17, 19	
number	1 and itself	2, 3, 3, 7, 11, 13, 17, 19	
composite	a number with more than	12	
number	two factors	(it has 6 factors)	
nrimo factor	a factor that is prime	prime factors of 12 =	
prime factor	a factor that is prime	2, 3	
multiple	a number in another	multiples of 9 =	
multiple	number's times table	9, 18, 27, 36	
common	multiples of two numbers	common multiples of 4	
multiple	that are the same	and 6 = 12, 24	
square	the result when a number	25 ($5^2 = 5x5$)	
numbers	has been multiplied by itself	$49 (7^2 = 7x7)$	
cube	the result when a number has	$8(2^3 = 2x2x2)$	
numbers	been multiplied by itself 3 times	$27 (3^3 = 3x3x3)$	

Fractions, decimals & percentages

1/100	0.01	1%	÷ 100
$^{1}/_{20}$	0.05	5%	÷ 20
1/10	0.1	10%	÷ 10
1/5	0.2	20%	÷ 5
1/4	0.25	25%	÷ 4
1/2	0.5	50%	÷ 2
3/4	0.75	75%	÷ 4, x3
1	1	100%	÷ 1

Angles

full turn	360°
half turn	180°
right angle	90°
acute angle	< 90°
obtuse angle	> 90°
reflex angle	>180°
angles on a straight line	180°
angles inside a triangle	180°
angles inside a quadrilateral	360°

Shape vocabulary

perimeter = measure around the edge

vertical line parallel lines

vertical line perpendicular lines (at right angles)

- vertex/ vertices
- edge (curved or flat)
- area
- volume

Roman numerals

1	ı	100	С
5	V	500	D
10	Χ	1000	M
50	L		

YEAR 5 MATHS KNOWLEDGE ORGANISER

2D shapes


Name	No. of sides
quadrilateral	4
pentagon	5
hexagon	6
heptagon	7
octagon	8
nonagon	9
decagon	10

polygon = shape with straight sides regular = all sides/angles the same irregular = sides/angles **not** same

Types of triangle



Types of quadrilateral



parallelogram trapezium rhombus

AREA

is the amount of space inside a 2D shape usually measured in cm² or m².

Area of a triangle = (base x height) ÷ 2 Area of a parallelogram = base x height

(Heiaht = perpendicular heiaht)

Measurement conversions

Month	Days	
January	31	
February	28 (29 in leap year)	
March	31	
April	30	
May	31	
June	30	
July	31	
August	31	
September	30	
October	31	
November	30	
December	31	
1 year = 365 days (≈ 52 weeks)		

Leap year = 366 days


1 cent imetre	10mm	
1 metre	100cm	
1 kilo metre	1,000 m	
1 mile	1.6 km	
1 kilometre	0.625 (⁵ / ₈) mile	
1 kilo gram	1,000 grams	
1 litre	1,000 millilitres	

Co-ordinates

Read co-ordinates along the x axis (horizontal) first, then the y axis (vertical). E.g. (3,-4) = go right 3, down 4.

3D shapes	square-based	triangular-based	triangular
	pyramid	pyramid	prism
faces (the flat sides)	5	4	5
edges	8	6	9
vertices			
(the points where	5	4	6
the edges meet)			

Volume = the amount of space a 3D shape takes up, usually measured in cm³ or m³



Volume of a cuboid = length x width x height

The mean

The mean is a type of average. To find the mean, add up all the numbers and divide by how many there are. E.g. the mean of 4, 5, 3, 4 is 4.

(Because 4 + 5 + 3 + 4 = 16, and $16 \div 4 = 4$)